

A QUIET REVOLUTION
THE AMAZING
NEW

Shine

**AMAZING COMFORT.
AMAZING TECHNOLOGY.
AMAZING FEELING.**



Honda presents the all new Shine with amazing **eSP Technology** and eco-friendly **BS-VI Engine** that keeps emission in check. Its **ACG Starter** removes gear meshing noise and helps start the engine without a jolt. And its **5-Speed Transmission** ensures that your ride is always amazingly smooth.

Honda is  HONDA

மீனாட்சி ஹோண்டா



8754023575



125cc HET BS-VI Engine

Ahead of its time, the latest innovation in engine contributes to a cleaner environment. The intelligent HET engine delivers an unmatched performance.



eSP TECHNOLOGY

With Shine, expect nothing but the best. Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction to give you the best riding experience.



PGM -FI

PGM-FI system is a sensor based advance system which constantly ensures optimum fuel delivery to the engine resulting in efficient combustion that aids in consistent power output, Higher mileage & lesser emissions

SILENT START WITH ACG

Honda's unique ACG Starter removes gear meshing noise and helps start the engine without a jolt.



A completely new engine powered by Honda's globally acclaimed eSP technology delivers 14%* More Mileage.

NEXT GEN TECHNOLOGY



FRICITION REDUCTION

The offset cylinder, roller rocker arm fitted with needle bearing reduces the frictional losses in the engine.



FRICITION REDUCTION


The piston cooling jet improves the cooling efficiency and maintains optimum engine temperature.



HET TUBLESS TYRE**

Honda's low-rolling resistance tubless tyre is specially designed to increase fuel-efficiency.





5-SPEED TRANSMISSION

Enjoy a smooth and comfortable riding experience with **5-Speed Transmission**.



DC HEADLAMP

The **DC Headlamp** gives consistent illumination while riding, irrespective of the speed and riding conditions.



ENGINE START/STOP SWITCH

Start and stop your bike with just the **flick of a switch** anytime, anywhere. Enjoy enhanced convenience



INTEGRATED HEADLAMP BEAM & PASSING SWITCH

Smart Single Switch for passing signal and low/high beams.



**NEXT LEVEL COMFORT
AND CONVENIENCE**

மீனாட்சி ஹோண்டா



8754023575



MORE SEATING SPACE

27mm longer seat* offers ample space for rider & pillion to cover long distance comfortably. Ground touch is improved by smooth integration of seat & tank.



5-STEP ADJUSTABLE SUSPENSION

Makes your ride comfortable with **5-Step Adjustable Rear Suspension** on all road conditions.



CBS WITH EQUALIZER

The **Combi-Brake System with Equalizer** reduces braking distance, so you can ride with confidence.



MORE GROUND CLEARANCE

5 mm more ground clearance* gives immense confidence to pass through roads & potholes with ease. Stability on high speed is greatly enhanced with **19 mm increased wheelbase***.



SEAL CHAIN

Seal chain is low on maintenance and high on durability for a hassle-free riding experience.



3 + 3 YEARS WARRANTY

Get complete peace of mind with **6 years warranty package**, comprising of **3 years standard & 3 years optional service warranty**.





BOLD FRONT VISOR

Front visor with newly designed **chrome garnish** gives a completely new look to the front cowl & brings out its bold character.



PREMIUM CHROME STROKE ON SIDE COVER

The premium **chrome stroke on side cover** gives the new Shine an elegant stance to make it stand out in a crowd.



ALL NEW AERO TYPE FUEL CAP

The **Aero type fuel cap** gives a clean & premium finish to the fuel tank design and adds to the practicality of the new Shine.



ALL NEW METER DESIGN

The **new meter design** adds required freshness without disturbing the simplicity & sophistication of the new Shine.



GRAND STYLE

மீனாட்சி ஹோண்டா



8754023575

SPECIFICATIONS

TECHNICAL

	PARAMETERS	MEASUREMENTS	
BODY DIMENSIONS	Length	2046 mm	
	Width	737 mm	
	Height	1116 mm	
	Wheel Base	1285 mm	
	Ground Clearance	162 mm	
	Kerb Weight	Disc 115 kg, Drum 114 kg	
	Seat Length	651 mm	
	Seat Height	791 mm	
	Fuel Tank Capacity	10.5 L	
	ENGINE	Type	4 Stroke, SI, BS-VI Engine
Displacement		124cc	
Max Engine Output		7.9 kW @ 7500 rpm	
Max Torque		11 N-m @ 6000 rpm	
Fuel System		PGM-FI	
Bore X Stroke		50.0 X 63.1 mm	
Compression Ratio		10±0.2	
Starting Method		Self/Kick	
TRANSMISSION		Clutch Type	Multiplate Wet Clutch
		No. of Gears	5
TYRES & BRAKES	Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless	
	Tyre Size & Type (Rear)	80/100-18 M/C 54P, Tubeless	
	Brake Type & Size (Front)	Disc-240 mm, Drum-130 mm	
	Brake Type & Size (Rear)	Drum-130 mm	
FRAME & SUSPENSION	Frame Type	Diamond Type	
	Front Suspension	Telescopic	
	Rear Suspension	Hydraulic Type	
ELECTRICALS	Battery	12V, 5.0Ah	
	Head Lamp	Halogen Bulb, DC	



Other Honda Shield Products**
Annual Maintenance Contract
Road Side Assistance
Engine Health Assistance

Follow us on



*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Shine meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment
* Mileage has increased by 14% for Shine as compared to CB Shine BS IV • **Ground Clearance has increased by 5 mm and Wheelbase has been increased by 19 mm for Shine as compared to CB Shine BS IV • Conditions apply • **Dreadnought Tyre is 110T

THE AMAZING
NEW

Shine



GENY GREY METALLIC



BLACK



ATHLETIC BLUE METALLIC



REBEL RED METALLIC

மீனாட்சி ஹோண்டா



8754023575