

Stunning Genius bold. edgy. bright. the all-new 125











~ BAMSA



Stunning Intelligence



Integrated Pass Switch
The extraordinary passing
switch allows you to pass
signals on a low/high beam
while riding.

No more hassle of lifting your seat. Refuel your Grazia I25 without getting off.

Redesigned Glove Box
The new design of the front glove box
is made from premium quality material.
It is now more stylish, convenient, and spacious.





Variants & Feature Matrix

FEATURE	DELUXE	STANDARD
LED Headlamp/Position Lamp	\leq	\leq
Full Digital Meter	\leq	ightharpoons
Side Stand Engine Cut Off	$ \mathbf{Y}$	\leq
PGM-FI	\mathbf{r}	
ACG Starter Motor	\leq	\leq
Engine Start/Stop Switch	×	
Idling Stop System	\mathbf{r}	×
Alloy Wheels	\mathbf{r}	×
Telescopic Suspension	$ \mathbf{Y}$	ightharpoons
90/90-12 54 j Fr Wheel	$ \mathbf{r}$	
Front Disc Brake		×

125 Technical Specifications

BODY DIMENSIONS		ENGINE	
Length	1829 mm	Туре	Fan Cooled, 4 Stroke, SI Engine
Width	707 mm		2) Engine
Height	1167 mm	Displacement	124 cc
Wheel Base	1260 mm	Max Engine Output	6.07 Kw e 6000 rpm
Ground Clearance	171 mm	Max Torque	10.3 N-m a 5000 rpm
Kerb Weight	108 kg	Fuel System	PGM-FI
Seat Length	708 mm	Bore X Stroke	50.0 X63.1 mm
Fuel Tank Capacity	5.3 L	Compression Ratio	10:1
		Air Filter Type	Viscous Paper Filter
TRANSMISSION		Starting Method	Kick/Self
Clutch Type	Automatic (V-matic)		
TYRES & BRAKES		FRAME & SUSPE	NSION
Tyre Size (Front)	90/90-I2 54J	Frame Type	Under Bone
Tyre Size (Rear)	90/100-10 53J	Front Suspension	Telescopic
Tyre Type (Front)	Tubeless	Rear Suspension	3-Step Adjustable, Spring Loaded Hydraulic Type
Tyre Type (Rear)	Tubeless	FLECTRICALS	
Brake Type & Size (Front)	Disc-190 mm		
Brake Tupe & Size (Rear)	Drum-IRO mm	Battery	12V, 5.0 Ah
Di one igpe a Size (Real)	5.0	Headlamp	LED, DC











Other Honda Shield Products**
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance