









FLY WITH

For a bike that can take all that speed and the stares, it is only natural that convenience is a huge part of it. Whether it's a small feature or a big one, we at Honda, treat convenience as science.

After much deliberation and a series of tests, Honda Hornet 2.0 is undoubtedly backed with unmatched comfort. Because you re going to need it when your adrenaline soars as you fly against the wind.

FLY IN COMFORT

Engine Stop Switch



turn the key

Key On Tank



Stress Free Riding Posture

Ride without stress as Honda Hornet 2.0 is where high-performance and stress-free riding come together. The comfortable riding posture is ideal for both the street and the highway.

Superior Aerodynamics

shapes of shrouds & air passages.

The contours of the bike makes sure that when a rider takes up the riding position, they get the least resistance Achieve superior aerodynamism with the specialised

Dual, Petal Disc Brakes



Because, with more power, comes the need to control it. braking efficiency.

1 Channel, Front ABS



Braking is an integral part of biking. The ABS gives you better control as you brake, especially on slippery surfaces. By preventing the wheel from locking, it keeps you safe as you continue to fly against the wind.

140 mm Wide Rear Tyre

Get a grip as you zoom past others. The wide rear tyre provides a superior road grip and handling which instils immense confidence in the rider to take on any challenge with ease.

Hazard Switch



shing indicator lights are an important safety feature for emergency stops & for low visibility conditions. Whatever the condition may be, be seen and keep turning heads.



For Honda, safety has been at the core right from the start. With all the speed, comfort and power, comes safety as a priority.

TECHNICAL SPECIFICATIONS+

BODY DIMENSIONS	
Length	2047 mm
Width	783 mm
Height	1064 mm
Wheel base	1355 mm
Ground clearance	167 mm
Seat length	590 mm
Kerb weight	142 Kg
Fuel tank capacity	12 L
ENGINE	
Туре	4 Stroke, SI Engine, BS-VI
Displacement	184.40 cc
Max net power	12.7 kW @ 8500 rpm
Max net torque	16.1 N-m @ 6000 rpm
Bore	61.0 mm
Stroke	63.09 mm
Fuel system	PGM-FI
Compression ratio	9.5:1
Starting method	Self Start
TRANSMISSION	·
Clutch type	Multiplate Wet Clutch
No. of gears	5
TYRES & BRAKES	
Tyre size & type (front)	110/70-17 M/C 54S (Tubeless)
Tyre size & type (rear)	140/70-17 M/C 66S (Tubeless)
Brake type & size (front)	Disc -276 mm (1 Channel ABS)
Brake type & size (rear)	Disc - 220 mm
FRAME & SUSPENSION	
Frame type	Diamond type
Front	Upside down Fork (USD)
Rear	Monoshock
ELECTRICALS	VRGII
Battery	12V, 5.0 Ah
Head lamp	LED
Tail lamp	LED
Winkers	LED





MATTE AXIS GREY METALLIC



MATTE SANGRIA RED METALLIC



MATTE MARVEL BLUE METALLIC



PEARL IGNEOUS BLACK













Other Honda Shield Products**
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance

⁺The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice
• New Hornet 2.0 meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market

Accessories shown in the picture are not part of standard equipment
 All features and colours may not be part of all variants
 'As per internal testing.
 'Conditions apply.