

HONDA
The Power of Dreams

Livo

A QUIET REVOLUTION

Live Life
Livo Style

Don't ride regular,
RIDE YOUR STYLE



Honda is **HONDA**

மீனாட்சி ஹோண்டா



8754023575



CUTTING EDGE TECHNOLOGY



110cc HET BS-VI ENGINE
The latest evolution in engine performance contributes to a cleaner environment. The advanced HET engine delivers an unmatched performance.



eSP TECHNOLOGY
Honda's Enhanced Smart Power (eSP) technology improves performance and fuel efficiency by reducing friction. The ACD starter integrated with eSP technology starts the engine quickly giving you the best riding experience and performance.



PCM-FI
PCM-FI system with 8 sensors constantly injects optimum fuel and air mixture resulting in efficient combustion that aids in consistent power output and higher mileage.



SILENT START WITH ACD
Honda's unique ACD starter motor removes gear meshing noise and helps start the engine without a jolt.



FRICTION REDUCTION
The piston coating gel reduces friction and maintains optimum engine temperature. The 100% cylinder liner plate, amplified with copper bearing, further reduces the frictional losses, for more



HET TUBELESS TYRE*
Honda's pioneering Tubeless Tyre is specially designed to increase fuel efficiency.



URBAN STYLE



EDDY FRONT LOOK
Always arrive in style with the unique combination of a muscular shroud, checked visor, sharp headlight, and detailed air duct design.



MUSCULAR TANK DESIGN WITH STRONG GRAPHICS
A bold, racing-style, muscular fuel tank design with eye-catching, raised 3D body-appearing



DIGITAL ANALOGUE METER
Get all the ride information in style with precision.



STRONG REAR APPEARANCE
Lends a strong impression with an exciting, designed tail-light and grab rail.

COMFORT AND CONVENIENCE



DC HEADLAMP

The DC Headlamp gives consistent illumination while riding irrespective of the speed and riding conditions.



ENGINE START/STOP SWITCH

Start and stop your bike with just the flick of a switch anytime anywhere. Enjoy enhanced convenience.



SEAL CHAIN

The Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.



5-STEP ADJUSTABLE REAR SUSPENSION

Make your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.



SERVICE DUE INDICATOR

Want to keep your 'Live' in the best condition all the time? No problem. Service due indicator on the meter console will give a reminder, even if you forget.



CBS WITH EQUALIZER

The Equalizer Technology in Combi Brake System distributes optimal braking force between front and rear wheels ensuring shorter braking distance with rock-solid balance.



LONG AND COMFORTABLE SEAT

Makes every ride comfortable for the rider and pillion, despite the conditions of the road.



INTEGRATED HEADLAMP BEAM & PASSING SWITCH

Integrated Smart Single Switch for passing signal and low/high beam.



மீனாட்சி ஹோண்டா



8754023575

TECHNICAL SPECIFICATIONS⁺

BODY DIMENSIONS	
Length	2020 mm
Width	751 mm
Height	1116 mm
Wheel Base	1278 mm
Ground Clearance	163 mm
Kerb Weight	115 Kg
Seat Length	690 mm
Seat Height	790 mm
Fuel Tank Capacity	9 L
ENGINE	
Type	Air Cooled, 4 Stroke, SI, BS-VI Engine
Displacement	109.51 cc
Max Engine Output	6.47 kW @7500 rpm
Max Torque	9.30 N-m @ 5500 rpm
Fuel System	PGM-FI
Bore x Stroke	47 x 63.121 mm
Compression Ratio	10.1:1
Starting Method	Self/Kick
TRANSMISSION	
Clutch Type	Multiplate Wet Clutch
No. of Gears	4 Gear
TYRES & BRAKES	
Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless
Tyre Size & Type (Rear)	80/100-18 M/C 54P, Tubeless
Brake Type & Size (Front)	Disc -240 mm, Drum - 130 mm
Brake Type & Size (Rear)	Drum - 130 mm
FRAME & SUSPENSION	
Frame Type	Diamond Type
Front Suspension	Telescopic
Rear Suspension	Hydraulic Type
ELECTRICALS	
Battery	12V, 5Ah
Headlamp	Halogen Bulb, DC

AVAILABLE COLOURS



ATHLETIC BLUE METALLIC



BLACK



MATTE AXIS GRAY METALLIC



IMPERIAL RED METALLIC



Other Honda Shield Products**
Annual Maintenance Contract
Road Side Assistance
Engine Health Assurance

*The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New Live meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants • *Only rear tyre is PET • **Conditions apply.

மீனாட்சி ஹோண்டா



8754023575